

Microprocessor controlled MIG-MAG/FLUX/BRAZING/MMA/TIG DC-Lift inverter multiprocess welding machine. Its flexibility of use and the different materials it can weld (steel, stainless steel, aluminium) or braze weld (galvanized sheet) allow for a wide range of applications, from maintenance to installation and interventions in body shops. The quick SYNERGIC regulation of the welding parameters, thanks to the ONE TOUCH LCD SYNERGY technology, makes this product easy to use. The Made in Telwin ATC technology makes it easy to achieve excellent standards of welding on thin materials thanks to state-of-the-art control of the arc. The operator can also intervene manually along the arclength: this adjustment means the weld seam can be modified according to the welder's style. The ONETOUCH LCD graphic display allows for a better reading of all welding parameters. Lightweight and very compact, it can be moved around easily in all intervention areas, both indoors and outdoors. Main features: 17 synergy curves available * visualization on LCD display of voltage, current, welding speed * regulation of: wire speed up slope, electronic reactance, burn-back time, post gas * choice of 2/4 times, spot operation * thermostatic, overvoltage, undervoltage, overcurrent, motor generator (+/- 15%) protections. Complete with MIG-MAG torch, work clamp and cable.



PROFESSIONAL



Norms:

CODE	V _{ph} V 50/60Hz	A _{MIN} A	A _{MAX} 40°C EN60974-1	A _{60%} 40°C EN60974-1	V _o V	A _{60%} MAX A	P _{60%} MAX kW	η n%	φ cosphi
816059	400 3 ph	20 230 DC	200 20% DC	105 DC	75	5 9	3 5,8	87	0,65
ST mm	SS mm	AL mm	FX mm	BZ mm	MIN MAX E DC mm	IP	W _L H L cm(L,W,H)	kg	BAR CODE
0,6 1	0,8 1	0,8 1	0,8 1,2	0,8 1	1,6 4	IP23	62 26 49	23	8004897934 27 3